

## Author index

- Aakerlund, L., see O'Hare, M.M.T., 293  
Ahlmén, H., see Dahlstrand, C., 11  
Araphamian, M., see Damgård, C., 141  
Atke, A., see Engström, T., 65  
Augood, S.J., Keast, J.R. and Emson, P.C.  
    Distribution and characterisation of neuropeptide U-like immunoreactivity in rat brain and intestine and in guinea pig intestine, 281
- Barbella, Y., see Israel, A., 25  
Beding, B., see Häkanson, R., 99  
Björck, S., see Dahlstrand, C., 11  
Brazeau, P., see Deslauriers, N., 261  
Brodin, E., see Edvinsson, L., 181  
Brook, C.W., Sewell, R.B., Shulkes, A. and Smallwood, R.A.  
    Hepatic metabolism of vasoactive intestinal polypeptide (VIP) in the rat, 311  
Brown, B.L., see Dobson, P.R.M., 305
- Changaris, D.G., Porter, J.L., Miller, J.J. and Levy, R.S.  
Des-Leu angiotensin I: biosynthesis and drinking response, 273  
Chesselet, M.-F. and Hook, V.Y.H.  
    Carboxypeptidase H-like immunoreactivity in the striatum of cats and monkeys, 151  
Christophe, J., see Sundler, F., 83  
Chu, J.-Y., see Häkanson, R., 99  
Conlon, J.M., Katsoulis, S., Schmidt W.E. and Thim, L.  
    [Arg<sup>3</sup>]substance P and neuropeptide A from chicken small intestine, 171  
Conlon, J.M., Schwartz, T.W. and Rehfeld, J.F.  
    Sulphated CCK-8-like peptides in the neural ganglion of the protochordate *Ciona intestinalis*, 241  
Cooper, C.W., see Ishizuka, J., 73
- Dahlstrand, C., Björck, S., Edin, R., Dahlström, A. and Ahlmén, H.  
    Substance P in the control of extrahepatic biliary motility in the cat, 11  
Dahlström, A., see Dahlstrand, C., 11  
Damgård, C., Hajri, A., Lhoste, E. and Araphamian, M.  
    Comparative effect of chronic bombesin, gastrin-releasing peptide and caerulein on the rat pancreas, 141  
Darvodelsky, A.M., Davey, M.W., Reid, A.M.,  
    Titchen, D.A. and Wang, X.  
    Immunochemical characterisation of somatostatin in ruminants, 161  
Davey, M.W., see Darvodelsky, A.M., 161  
Davson, H., see Zlokovic, B.V., 33  
Deslauriers, N., Gaudreau, P. and Brazeau, P.  
    Long-term maintenance of growth hormone secretion in perfused rat anterior pituitary cells, 261  
Dimaline, R. and Vowles, L.  
    Alternative processing pathways for prepro-vasoactive intestinal peptide in the enteric nervous system of the rat, 199  
Dobson, P.R.M. and Brown, B.L.  
    Involvement of the hypothalamus in opiate-stimulated prolactin secretion, 305  
Drebes, E., see Koch, G., 107
- Edin, R., see Dahlstrand, C., 11  
Edvinsson, L., Brodin, E., Jansen, I. and Uddman, R.  
    Neuropeptide A in cerebral vessels: characterization, localization and effects in vitro, 181  
Ekblad, E., see Stjernquist, M., 335  
Emson, P.C., see Augood, S.J., 281  
Engström, T., Atke, A. and Vilhardt, H.  
    Oxytocin receptors and contractile response of the myometrium after long term infusion of prostaglandin F<sub>2α</sub>, indomethacin, oxytocin and an oxytocin antagonist in rats, 65
- Fenger, M.  
    Pro-opiomelanocortin-derived peptides in the pig pituitary: α-and γ-melanocyte-stimulating hormones and their glycine-extended forms, 345  
Fischer, J.A., see Martling, C.-R., 125  
Folkers, K., see Häkanson, R., 99  
Frandsen, E.K.  
    Receptor binding of pancreatic spasmolytic polypeptide in intestinal mucosal cells and membranes, 45
- Gaudreau, P., see Deslauriers, N., 261  
Greeley Jr., G.H., see Ishizuka, J., 73  
Grunditz, T., see Sundler, F., 83
- Hajri, A., see Damgård, C., 141  
Heywood, L.H., see Reid, A.M., 211  
Hilsted, L., see O'Hare, M.M.T., 293

- Hook, V.Y.H., see Chesselet, M.-F., 151
- Håkanson, R., Beding, B., Ljungqvist, A., Chu, J.-Y., Leander, S., Trojnar, J. and Folkers, K.  
Blockade of sensory nerve mediated contraction of the rabbit iris sphincter by a series of novel tachykinin antagonists, 99
- Håkanson, R., see Sundler, F., 83
- Hökfelt, T., see Martling, C.-R., 125
- Ishizuka, J., Greeley Jr., G.H., Cooper, C.W. and Thompson, J.C.  
Effect of calcitonin gene-related peptide on glucose and gastric inhibitory polypeptide-stimulated insulin release from cultured newborn and adult rat islet cells, 73
- Israel, A. and Barbella, Y.  
Effects of adrenalectomy and aldosterone on the action of centrally administered rat atrial natriuretic peptide-(99-126), 25
- Jansen, I., see Edvinsson, L., 181
- Johnsen, A., see O'Hare, M.M.T., 293
- Katsoulis, S., see Conlon, J.M., 171
- Keast, J.R., see Augood, S.J., 281
- Koch, G., Wiedemann, K., Drebse, E., Zimmermann, W., Link, G. and Teschemacher, H.  
Human  $\beta$ -casomorphin-8 immunoreactive material in the plasma of women during pregnancy and after delivery, 107
- Lamote, J. and Willems, G.  
Stimulating effect of pentagastrin on cancer cell proliferation kinetics in chemically induced colon cancer in rats, 1
- Leander, S., see Håkanson, R., 99
- Lehy, T., see Puccio, F., 53
- Levy, R.S., see Changaris, D.G., 273
- Lhoste, E., see Damgård, C., 141
- Link, G., see Koch, G., 107
- Ljungqvist, A., see Håkanson, R., 99
- Lundberg, J.M., see Martling, C.-R., 125
- Marker, J.D. and Roberts, M.L.  
Chronotropic actions of cholecystokinin octapeptide on the rat heart, 251
- Martling, C.-R., Saria, A., Fischer, J.A., Hökfelt, T. and Lundberg, J.M.  
Calcitonin gene-related peptide and the lung: neuronal coexistence with substance P, release by capsaicin and vasodilatory effect, 125
- Miller, J.J., see Changaris, D.G., 273
- Mitrovic, D.M., see Zlokovic, B.V., 33
- Mogensen, N., Saermark, T. and Vilhardt, H.  
Endocytosis of the vasopressin receptor by anterior pituitary cells is increased by corticotropin-releasing factor (CRF), 223
- O'Hare, M.M.T., Tenmoku, S., Aakerlund, L., Hilsted, L., Johnsen, A. and Schwartz, T.W.  
Neuropeptide-Y in guinea pig, rabbit, rat and man. Identical amino acid sequence and oxidation of methionine-17, 293
- Owman, Ch., see Stjernquist, M., 335
- Porter, J.L., see Changaris, D.G., 273
- Puccio, F. and Lehy, T.  
Oral administration of epidermal growth factor in suckling rats stimulates cell DNA synthesis in fundic and antral gastric mucosae as well as in intestinal mucosa and pancreas, 53
- Rehfeld, J.F., see Conlon, J.M., 241
- Reid, A.M. and Heywood, L.H.  
A comparison of the effects of vasoactive intestinal polypeptide on secretion from the submaxillary gland of the sheep and pig, 211
- Reid, A.M., see Darvodelsky, A.M., 161
- Robberecht, P., see Sundler, F., 83
- Roberts, M.L., see Marker, J.D., 251
- Saermark, T., see Mogensen, N., 223
- Sandvik, A.K. and Waldum, H.L.  
The effect of somatostatin on baseline and stimulated acid secretion and vascular histamine release from the totally isolated vascularly perfused rat stomach, 233
- Saria, A., see Martling, C.-R., 125
- Schmidt, W.E., see Conlon, J.M., 171
- Schwartz, T.W., see Conlon, J.M., 241
- Schwartz, T.W., see O'Hare, M.M.T., 293
- Sedlmeier, D.  
The crustacean hyperglycemic hormone (CHH) releases amylase from the crayfish midgut gland, 91
- Segal, M.B., see Zlokovic, B.V., 33
- Sewell, R.B., see Brook, C.W., 311
- Shulkes, A., see Brook, C.W., 311
- Sleeman, M., see Willis, G.L., 119
- Smallwood, R.A., see Brook, C.W., 311
- Smith, G.C., see Willis, G.L., 119
- Stjernquist, M., Ekblad, E., Owman, Ch. and Sundler, F.  
Immunocytochemical localization of galanin in the rat male and female genital tracts and motor effects in vitro, 335
- Sundler, F., Christophe, J., Robberecht, P., Yan-

- aihara, N., Yanaihara, C., Grunditz, T. and Håkanson, R.  
Is helodermin produced by medullary thyroid carcinoma cells and normal C-cells? Immunocytochemical evidence, 83
- Sundler, F., see Stjernquist, M., 335
- Tenmoku, S., see O'Hare, M.M.T., 293
- Teschemacher, H., see Koch, G., 107
- Thim, L., see Conlon, J.M., 171
- Thompson, J.C., see Ishizuka, J., 73
- Titchen, D.A., see Darvodelsky, A.M., 161
- Trojnar, J., see Håkanson, R., 99
- Uddman, R., see Edvinson, L., 181
- Vilhardt, H., see Engström, T., 65
- Vilhardt, H., see Mogensen, N., 223
- Vowles, L., see Dimaline, R., 199
- Waldum, H.L., see Sandvik, A.K., 233
- Wang, X., see Darvodelsky, A.M., 161
- Wiedemann, K., see Koch, G., 107
- Wiik, P.  
Homologous regulation of adenylate cyclase-coupled receptors for vasoactive intestinal peptide (VIP) on human mononuclear leukocytes, 323
- Willens, G., see Lamote, J., 1
- Willis, G.L., Sleeman, M. and Smith, G.C.  
Facilitation of cancer-associated anorexia by cholecystokinin, 119
- Yanaihara, C., see Sundler, F., 83
- Yanaihara, N., see Sundler, F., 83
- Zimmermann, W., see Koch, G., 107
- Zlokovic, B.V., Segal, M.B., Davson, H. and Mitrovic, D.M.  
Unidirectional uptake of enkephalins at the blood-tissue interface of the blood-cerebrospinal fluid barrier: a saturable mechanism, 33

## Keyword index

- Adenocarcinoma, 1,2-Dimethylhydrazine, DNA synthesis, Metaphase, 1
- Adenohypophysis, Opiate agonist, Naloxone, Prolactin, Hypothalamus, 305
- Adrenalectomy, Atrial natriuretic factor, Brain, Aldosterone, 25
- Adrenocorticotrophic hormone-(1-14),  $\alpha$ -Melanocyte-stimulating hormone,  $\gamma_1$ -Melanocyte-stimulating hormone,  $\gamma_2$ -Melanocyte stimulating hormone, 345
- Aldosterone, Atrial natriuretic factor, Brain, Adrenalectomy, 25
- Amylase release, Cyclic nucleotide,  $\text{Ca}^{2+}$ , Crustacean hyperglycemic hormone, 91
- Angiotensin-related carboxypeptidase, Renin, Carboxypeptidase, Drinking, Neuropeptins, Nonapeptide, 273
- Anorexia cachexia, Cancer, Cholecystokinin, Satiation, Orexigenic drug, 119
- Atrial natriuretic factor, Brain, Aldosterone, Adrenalectomy, 25
- Axon reflex, Tachykinin, Tachykinin antagonist, Iris sphincter, Sensory nerve, Ocular injury, 99
- Biliary tract, Substance P, Vagal nerve, Motor control, Cholinoreceptor, Cat, 11
- Biosynthetic processing, Enteric neuron, Vasointestinal peptide, Radioimmunoassay, Flanking peptide, 199
- Bombesin, Gastrin-releasing peptide (GRP), Caerulein, Pancreas, Growth, Rat, 141
- Bradycardia, CCK-8, Receptor, Isolated heart, 251
- Brain, Atrial natriuretic factor, Aldosterone, Adrenalectomy, 25
- Bronchoconstriction, Calcitonin gene-related peptide (CGRP), Neurokinin A, Substance P, Vasodilatation, Sensory nerve, 125
- $\text{Ca}^{2+}$ , Amylase release, Cyclic nucleotide, Crustacean hyperglycemic hormone, 91
- Caerulein, Bombesin, Gastrin-releasing peptide (GRP), Pancreas, Growth, Rat, 141
- Calcitonin, Neurohormonal peptide, Peptide hormone, C-cell, Endocrine tumor, Medullary thyroid carcinoma, Helodermin, 83
- Calcitonin gene-related peptide (CGRP), Neurokinin A, Substance P, Bronchoconstriction, Vasodilatation, Sensory nerve, 125
- Calcitonin gene-related peptide, Neurokinin A, Substance P, Immunocytochemistry, Radioimmunoassay, In vitro pharmacology, 181
- Cancer, Anorexia cachexia, Cholecystokinin, Satiation, Orexigenic drug, 119
- Carboxypeptidase, Renin, Drinking, Neuropeptins, Nonapeptide, Angiotensin-related carboxypeptidase, 273
- Cat, Substance P, Vagal nerve, Motor control, Cholinoreceptor, Biliary tract, 11
- Caudate nucleus, Prohormone processing, Peptidase, Neuropeptide, Substance P, Enkephalin, 151
- $\beta$ -Cell, Somatostatin, 73
- C-cell, Neurohormonal peptide, Peptide hormone, Endocrine tumor, Medullary thyroid carcinoma, Helodermin, Calcitonin, 83
- CCK-8, Receptor, Isolated heart, Bradycardia, 251
- Chicken gut, Tachykinin, Primary structure, HPLC, Radioimmunoassay, 171
- Cholecystokinin, Anorexia cachexia, Cancer, Satiation, Orexigenic drug, 119
- Cholecystokinin (CCK), Gastrin, Neural ganglion, Protocordate, Sequence-specific radioimmunoassay, 241
- Cholinoreceptor, Substance P, Vagal nerve, Motor control, Biliary tract, Cat, 11
- Choroid plexus, Leu-enkephalin, D-Ala<sup>5</sup>-D-Leu<sup>5</sup>-enkephalin, Single-passage paired tracer dilution, Sheep, 33
- Contractile responsiveness, Rat myometrium, Oxytocin receptor, Prostaglandin, Receptor down-regulation, 65
- Corticotropin-releasing factor, Vasopressin, Receptor endocytosis, 223
- Crustacean hyperglycemic hormone, Amylase release, Cyclic nucleotide,  $\text{Ca}^{2+}$ , 91
- Cyclic AMP accumulation, Leucocyte, VIP-receptor, Vasoactive intestinal peptide (VIP), PHM-27, Secretin, Down-regulation, 323
- Cyclic nucleotide, Amylase release,  $\text{Ca}^{2+}$ , Crustacean hyperglycemic hormone, 91
- D-Ala<sup>2</sup>-D-Leu<sup>5</sup>-enkephalin, Leu-enkephalin, Single-passage paired tracer dilution, Choroid plexus, Sheep, 33
- Development, Histoautoradiography, Mucosal growth, Progenitor cell DNA synthesis, Trophic effect, 53

- 1,2-Dimethylhydrazine, Adenocarcinoma, DNA synthesis, Methaphase, I
- DNA synthesis, 1,2-Dimethylhydrazine, Adenocarcinoma, Metaphase, I
- Down-regulation, Leucocyte, VIP-receptor, Cyclic AMP accumulation, Vasoactive intestinal peptide (VIP), PHM-27, Secretin, 323
- Drinking, Renin, Carboxypeptidase, Neuropeptidase, Nonapeptide, Angiotensin-related carboxypeptidase, 273
- Endocrine regulation of pregnancy, Human  $\beta$ -casein, Human  $\beta$ -casomorphin, Opioid peptide, Mammalian reproduction, Milk secretion, 107
- Endocrine tumor, Neurohormonal peptide, Peptide hormone, C-cell, Medullary thyroid carcinoma, Helodermin, Calcitonin, 83
- Enkephalin, Prohormone processing, Peptidase, Neuropeptide, Substance P, Caudate nucleus, 151
- Enteric neuron, Biosynthetic processing, Vasoactive intestinal peptide, Radioimmunoassay, Flanking peptide, 199
- Enteric nervous system, Immunohistochemistry, Neuromedin, Radioimmunoassay, High-performance liquid chromatography, 281
- Flanking peptide, Biosynthetic processing, Enteric neuron, Vasoactive intestinal peptide, Radioimmunoassay, 199
- Galanin, Neuropeptide, Male and female genital tracts, Uterus, Vas deferens, Seminal vesicle, Smooth muscle, Immunocytochemistry, In vitro pharmacology, 335
- Gastric acid, Somatostatin, Histamine, Gastrin, 233
- Gastrin, Cholecystokinin (CCK), Neural ganglion, Protochordate, Sequence-specific radioimmunoassay, 241
- Gastrin, Somatostatin, Histamine, Gastric acid, 233
- Gastrin-releasing peptide (GRP), Bombesin, Caerulein, Pancreas, Growth, Rat, 141
- Growth, Bombesin, Gastrin-releasing peptide (GRP), Caerulein, Pancreas, Rat, 141
- Guinea pig, Neuropeptide Y, Rabbit, Man, Rat, 293
- Helodermin, Neurohormonal peptide, Peptide hormone, C-cell, Endocrine tumor, Medullary thyroid carcinoma, Calcitonin, 83
- High-performance liquid chromatography, Im-
- munohistochemistry, Neuromedin, Enteric nervous system, Radioimmunoassay, 281
- Histamine, Somatostatin, Gastric acid, Gastrin, 233
- Histoautoradiography, Mucosal growth, Progenitor cell DNA synthesis, Trophic effect, Development, 53
- HPLC, Tachykinin, Chicken gut, Primary structure, Radioimmunoassay, 171
- Human  $\beta$ -casein, Human  $\beta$ -casomorphin, Opioid peptide, Mammalian reproduction, Milk secretion, Endocrine regulation of pregnancy, 107
- Human  $\beta$ -casomorphin, Human  $\beta$ -casein, Opioid peptide, Mammalian reproduction, Milk secretion, Endocrine regulation of pregnancy, 107
- Hypothalamus, Opiate agonist, Naloxone, Adenohypophysis, Prolactin, 305
- Immunocytochemistry, Neurokinin A, Substance P, Calcitonin gene-related peptide, Radioimmunoassay, In vitro pharmacology, 181
- Immunocytochemistry, Galanin, Neuropeptide, Male and female genital tracts, Uterus, Vas deferens, Seminal vesicle, Smooth muscle, In vitro pharmacology, 335
- Immunohistochemistry, Neuromedin, Enteric nervous system, Radioimmunoassay, High-performance liquid chromatography, 281
- In vitro pharmacology, Neurokinin A, Substance P, Calcitonin gene-related peptide, Immunocytochemistry, Radioimmunoassay, 181
- In vitro pharmacology, Galanin, Neuropeptide, Male and female genital tracts, uterus, Vas deferens, Seminal vesicle, Smooth muscle, Immunocytochemistry, 335
- Iris sphincter, Tachykinin, Tachykinin antagonist, Sensory nerve, Axon reflex, Ocular injury, 99
- Isolated heart, CCK-8, Receptor, Bradycardia, 251
- Leucocyte, VIP-receptor, Cyclic AMP accumulation, Vasoactive intestinal peptide (VIP), PHM-27, Secretin, Down-regulation, 323
- Leu-enkephalin, D-Ala<sup>2</sup>-D-Leu<sup>5</sup>-enkephalin, Single-passage paired tracer dilution, Choroid plexus, Sheep, 33
- Long-term primary cell culture, Rat growth hormone-releasing factor-(1-43) acid, 261
- Male and female genital tracts, Galanin, Neuropeptide, Uterus, Vas deferens, Seminal ves-

- cle, Smooth muscle, Immunocytochemistry, In vitro pharmacology, 335
- Mammalian reproduction, Human  $\beta$ -casein, Human  $\beta$ -casomorphin, Opioid peptide, Milk secretion, Endocrine regulation of pregnancy, 107
- Man, Neuropeptide Y, Guinea pig, Rabbit, Rat, 293
- Medullary thyroid carcinoma, Neurohormonal peptide, Peptide hormone, C-cell, Endocrine tumor, Helodermin, Calcitonin, 83
- $\alpha$ -Melanocyte-stimulating hormone, Adrenocorticotropic hormone-(1-14),  $\gamma_1$ -Melanocyte-stimulating hormone,  $\gamma_2$ -Melanocyte stimulating hormone, 345
- $\gamma_1$ -Melanocyte-stimulating hormone,  $\alpha$ -Melanocyte-stimulating hormone, Adrenocorticotropic hormone-(1-14),  $\gamma_1$ -Melanocyte stimulating hormone, 345
- $\gamma_2$ -Melanocyte stimulating hormone,  $\alpha$ -Melanocyte-stimulating hormone, Adrenocorticotropic hormone-(1-14),  $d\gamma_1$ -Melanocyte-stimulating hormone, 345
- Methaphase, 1,2-Dimethylhydrazine, Adenocarcinoma, DNA synthesis, I
- Milk secretion, Human  $\beta$ -casein, Human  $\beta$ -casomorphin, Opioid peptide, Mammalian reproduction, Endocrine regulation of pregnancy, 107
- Motor control, Substance P, Vagal nerve, Cholinoreceptor, Biliary tract, Cat, 11
- Mucosal growth, Histoautoradiography, Progenitor cell DNA synthesis, Trophic effect, Development, 53
- Naloxone, Opiate agonist, Adenohypophysis, Prolactin, Hypothalamus, 305
- Neural ganglion, Cholecystokinin (CCK), Gastrin, Protachordate, Sequence-specific radioimmunoassay, 241
- Neural mechanism, Salivary gland, Vasoactive intestinal polypeptide, 211
- Neurohormonal peptide, Peptide hormone, C-cell, Endocrine tumor, Medullary thyroid carcinoma, Helodermin, Calcitonin, 83
- Neurokinin A, Calcitonin gene-related peptide (CGRP), Substance P, Bronchoconstriction, Vasodilatation, Sensory nerve, 125
- Neurokinin A, Substance P, Calcitonin gene-related peptide, Immunocytochemistry, Radioimmunoassay, In vitro pharmacology, 181
- Neuromedin, Immunohistochemistry, Enteric nervous system, Radioimmunoassay, High-performance liquid chromatography, 281
- Neuropeptide, Prohormone processing, Peptidase, Substance P, Enkephalin, Caudate nucleus, 151
- Neuropeptide Y, Guinea pig, Rabbit, Man, Rat, 293
- Neuropeptide, Galanin, Male and female genital tracts, Uterus, Vas deferens, Seminal vesicle, Smooth muscle, Immunocytochemistry, In vitro pharmacology, 335
- Neurotensin, Renin, Carboxypeptidase, Drinking, Nonapeptide, Angiotensin-related carboxypeptidase, 273
- Nonapeptide, Renin, Carboxypeptidase, Drinking, Neurotensin, Angiotensin-related carboxypeptidase, 273
- Ocular injury, Tachykinin, Tachykinin antagonist, Iris sphincter, Sensory nerve, Axon reflex, 99
- Opiate agonist, Naloxone, Adenohypophysis, Prolactin, Hypothalamus, 305
- Opioid peptide, Human  $\beta$ -casein, Human  $\beta$ -casomorphin, Mammalian reproduction, Milk secretion, Endocrine regulation of pregnancy, 107
- Orexigenic drug, Anorexia cachexia, Cancer, Cholecystokinin, Satiety, 119
- Oxytocin receptor, Rat myometrium, Contractile responsiveness, Prostaglandin, Receptor down-regulation, 65
- Pancreas, Bombesin, Gastrin-releasing peptide (GRP), Caerulein, Growth, Rat, 141
- Pancreatic spasmolytic polypeptide (PSP), Rat intestinal mucosa, Receptor binding, 45
- Peptidase, Prohormone processing, Neuropeptide, Substance P, Enkephalin, Caudate nucleus, 151
- Peptide hormone, Neurohormonal peptide, C-cell, Endocrine tumor, Medullary thyroid carcinoma, Helodermin, Calcitonin, 83
- Perfusion, Vasoactive intestinal polypeptide, Rat liver, 311
- PHM-27, Leucocyte, VIP-receptor, Cyclic AMP accumulation, Vasoactive intestinal peptide (VIP), Secretin, Down-regulation, 323
- Primary structure, Tachykinin, Chicken gut, HPLC, Radioimmunoassay, 171
- Progenitor cell DNA synthesis, Histoautoradiography, Mucosal growth, Trophic effect, Development, 53
- Prohormone processing, Peptidase, Neuropeptide, Substance P, Enkephalin, Caudate nucleus, 151

- Prolactin, Opiate agonist, Naloxone, Adenohypophysis, Hypothalamus, 305
- Prostaglandin, Rat myometrium, Oxytocin receptor, Contractile responsiveness, Receptor down-regulation, 65
- Protochordate, Cholecystokinin (CCK), Gastrin, Neural ganglion, Sequence-specific radioimmunoassay, 241
- Rabbit, Neuropeptide Y, Guinea pig, Man, Rat, 293
- Radioimmunoassay, Somatostatin, Tissue and plasma concentrations, 161
- Radioimmunoassay, Tachykinin, Chicken gut, Primary structure, HPLC, 171
- Radioimmunoassay, Neurokinin A, Substance P, Calcitonin gene-related peptide, Immunocytochemistry, In vitro pharmacology, 181
- Radioimmunoassay, Biosynthetic processing, Enteric neuron, Vasoactive intestinal peptide, Flanking peptide, 199
- Radioimmunoassay, Immunohistochemistry, Neuromedin, Enteric nervous system, High-performance liquid chromatography, 281
- Rat growth hormone-releasing factor-(1-43) acid, Long-term primary cell culture, 261
- Rat intestinal mucosa, Pancreatic spasmolytic polypeptide (PSP), Receptor binding, 45
- Rat liver, Vasoactive intestinal polypeptide, Perfusion, 311
- Rat myometrium, Oxytocin receptor, Contractile responsiveness, Prostaglandin, Receptor down-regulation, 65
- Rat, Bombesin, Gastrin-releasing peptide (GRP), Caerulein, Pancreas, Growth, 141
- Rat, Neuropeptide Y, Guinea pig, Rabbit, Man, 293
- Receptor binding, Pancreatic spasmolytic polypeptide (PSP), Rat intestinal mucosa, 45
- Receptor down-regulation, Rat myometrium, Oxytocin receptor, Contractile responsiveness, Prostaglandin, 65
- Receptor endocytosis, Corticotropin-releasing factor, Vasopressin, 223
- Receptor, CCK-8, Isolated heart, Bradycardia, 251
- Renin, Carboxypeptidase, Drinking, Neurotensin, Nonapeptide, Angiotensin-related carboxypeptidase, 273
- Salivary gland, Neural mechanism, Vasoactive intestinal polypeptide, 211
- Satiety, Anorexia cachexia, Cancer, Cholecystokinin. Orexigenic drug, 119
- Secretin, Leucocyte, VIP-receptor, Cyclic AMP accumulation, Vasoactive intestinal peptide (VIP), PHM-27, Down-regulation, 323
- Seminal vesicle, Galanin, Neuropeptide, Male and female genital tracts, Uterus, Vas deferens, Smooth muscle, Immunocytochemistry, In vitro pharmacology, 335
- Sensory nerve, Tachykinin, Tachykinin antagonist, Iris sphincter, Axon reflex, Ocular injury, 99
- Sensory nerve, Calcitonin gene-related peptide (CGRP), Neurokinin A, Substance P, Bronchoconstriction, Vasodilatation, 125
- Sequence-specific radioimmunoassay, Cholecystokinin (CCK), Gastrin, Neural ganglion, Protochordate, 241
- Sheep, Leu-enkephalin, D-Ala<sup>2</sup>-D-Leu<sup>5</sup>-enkephalin, Single-passage paired tracer dilution, Choroid plexus, 33
- Single-passage paired tracer dilution, Leu-enkephalin, D-Ala<sup>2</sup>-D-Leu<sup>5</sup>-enkephalin, Choroid plexus, Sheep, 33
- Smooth muscle, Galanin, Neuropeptide, Male and female genital tracts, Uterus, Vas deferens, Seminal vesicle, Immunocytochemistry, In vitro pharmacology, 335
- Somatostatin,  $\beta$ -Cell, 73
- Somatostatin, Radioimmunoassay, Tissue and plasma concentrations, 161
- Somatostatin, Histamine, Gastric acid, Gastrin, 233
- Substance P, Vagal nerve, Motor control, Cholinoreceptor, Biliary tract, Cat, 11
- Substance P, Calcitonin gene-related peptide (CGRP), Neurokinin A, Bronchoconstriction, Vasodilatation, Sensory nerve, 125
- Substance P, Prohormone processing, Peptidase, Neuropeptide, Enkephalin, Caudate nucleus, 151
- Substance P, Neurokinin A, Calcitonin gene-related peptide, Immunocytochemistry, Radioimmunoassay, In vitro pharmacology, 181
- Tachykinin, Tachykinin antagonist, Iris sphincter, Sensory nerve, Axon reflex, Ocular injury, 99
- Tachykinin antagonist, Tachykinin, Iris sphincter, Sensory nerve, Axon reflex, Ocular injury, 99
- Tachykinin, Chicken gut, Primary structure, HPLC, Radioimmunoassay, 171
- Tissue and plasma concentrations, Somatostatin, Radioimmunoassay, 161
- Trophic effect., Histoautoradiography, Mucosal

- growth, Progenitor cell DNA synthesis, Development, 53
- Uterus, Galanin, Neuropeptide, Male and female genital tracts, Vas deferens, Seminal vesicle, Smooth muscle, Immunocytochemistry, In vitro pharmacology, 335
- Vagal nerve, Substance P, Motor control, Cholinoreceptor, Biliary tract, Cat, 11
- Vas deferens, Galanin, Neuropeptide, Male and female genital tracts, Uterus, Seminal vesicle, Smooth muscle, Immunocytochemistry, In vitro pharmacology, 335
- Vasoactive intestinal peptide, Biosynthetic processing, Enteric neuron, Radioimmunoassay, Flanking peptide, 199
- Vasoactive intestinal polypeptide, Neural mechanism, Salivary gland, 211
- Vasoactive intestinal polypeptide, Rat liver, Perfusion, 311
- Vasoactive intestinal peptide (VIP), Leucocyte, VIP-receptor, Cyclic AMP accumulation, PHM-27, Secretin, Down-regulation, 323
- Vasodilatation, Calcitonin gene-related peptide (CGRP), Neuropeptide A, Substance P, Bronchoconstriction, Sensory nerve, 125
- Vasopressin, Corticotropin-releasing factor, Receptor endocytosis, 223
- VIP-receptor, Leucocyte, Cyclic AMP accumulation, Vasoactive intestinal peptide (VIP), PHM-27, Secretin, Down-regulation, 323

